

Section 1: IDENTIFICATION		
Product Name:	Grinding Balls and Grinding Rods	
Synonyms:	Not available.	
Product Use:	Grinding balls are used in the milling process of metalliferous ores.	
Restrictions on Use:	For use in wet grinding applications only.	
Manufacturer/Supplier:	Moly-Cop USA 8116 Wilson Road Kansas City, MO 64125	
Phone Number:	(816) 231-9191	
Emergency Phone:	(816) 678-1750	
Date of Preparation of SDS:	June 6, 2019	
Section 2: HAZARD(S) IDENTIFICATION		

GHS INFORMATION

Classification: Not hazardous according to OSHA criteria (29 CFR 1910.1200).

WARNING: At the end of their normal life cycle, worn ball scats may be in a state of high residual stress from repeated impacts. Ball scats may spall or fragment without warning as the residual stress is relieved. When handling ball scats, gloves and face shields or goggles should be worn.

LABEL ELEMENTS

Hazard None. Pictogram(s):

Signal Word: None. Hazard Not applicable. Statements:

Precautionary Statements

- Prevention: Not applicable. Response: Not applicable.
 - Storage: Not applicable.
- **Disposal:** Not applicable.
- Hazards Not Otherwise Classified: Not applicable.

Ingredients with Unknown Toxicity:

6% of this product mixture consists of ingredient(s) of unknown acute toxicity.

This material is not considered hazardous by the OSHA Hazard Communication Standard, (29 CFR 1910.1200).



Section 3: COMPOSITION / INFORMATION ON INGREDIENTS				
Hazardous Ingredient(s)	Common name / Synonyms	CAS No.	% wt./wt.	
Iron	Not available.	7439-89-6	75 - 100	
Chromium	Not available.	7440-47-3	0 - 0.1, 0.1 - 1, 1 - 5	
Carbon	Not available.	1333-86-4	0 - 0.1, 0.1 - 1, 1 - 1.5	
Manganese	Not available.	7439-96-5	0 - 0.1, 0.1 - 1	
Nickel	Not available.	7440-02-0	0 - 0.1, 0.1 - 1	
Silicon	Not available.	7440-21-3	0 - 0.1, 0.1 - 0.5	
Copper	Not available.	7440-50-8	0 - 0.1, 0.1 - 0.5	
Antimony	Not available.	7440-36-0	0 - 0.1, 0.1 - 0.5	
Arsenic	Not available.	7440-38-2	0 - 0.1, 0.1 - 0.5	
Cobalt	Not available.	7440-48-4	0 - 0.1, 0.1 - 0.5	
Lead	Not available.	7439-92-1	0 - 0.1, 0.1 - 0.5	
Multiple ranges given	due to batch-to-batch var	iability.		
	Section 4:	FIRST-AID MEAS	JRES	
Inhalation:	Inhalation of the prod	luct is unlikely.		
Acute and delayed symptoms and effects: As supplied, the product does not pose an inhalation hazard. The product is used in wet environments; inhalation of the dust resulting from the grinding process is unlikely.				
Eye Contact:	ye Contact: As supplied, the product is unlikely to pose a hazard in case of conta the end of their normal life cycle, ball scats may spall or fragment wit warning. In case of contact with ball fragments, get medical advice/attention immediately.			
	unlikely to pose a haz cycle, worn ball scats	zard in case of co may be in a stat Ill scats may spal	ets: As supplied, the product is ontact. At the end of their normal life e of high residual stress from I or fragment without warning; ously injure the eyes.	
Skin Contact:	Skin Contact: As supplied, the product is unlikely to pose a hazard in case of cont the end of their normal life cycle, ball scats may spall or fragment w warning. In case of contact with ball fragments, get medical advice/attention.			
	unlikely to pose a haz cycle, worn ball scats	zard in case of co may be in a stat Ill scats may spal	ets: As supplied, the product is ontact. At the end of their normal life e of high residual stress from I or fragment without warning; e the skin.	
Ingestion:	Not a normal route of	^e exposure.		
	Acute and delayed sy	mptoms and effeo	cts: Not a normal route of exposure.	
General Advice:	In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).			
Note to Physicians:	Symptoms may not a	ppear immediate	ly.	



Section 5: FIRE-FIGHTING MEASURES

FLAMMABILITY AND EXPLOSION INFORMATION

Not flammable or combustible by OSHA/WHMIS criteria. As supplied the product does not pose a flammability hazard.

Sensitivity to Mechanical Impact:	As supplied this material is not sensitive to mechanical impact.	
Sensitivity to Static Discharge:	As supplied this material is not sensitive to static discharge.	
MEANS OF EXTINCTION Suitable Extinguishing Media:	Use appropriate extinguishing media for surrounding fire. Move containers from fire area if you can do it without risk.	
Unsuitable Extinguishing Media:	Not available.	
Products of Combustion:	Not available.	
Protection of Firefighters:	Fire may produce irritating, corrosive and/or toxic gases. Runoff from fire control or dilution water may cause pollution. Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection.	
Section 6: ACCIDENTAL RELEASE MEASURES		

Emergency Procedures:	Keep unauthorized personnel away. Ventilate closed spaces before entering.	
Personal Precautions:	Grinding balls may cause a slip, trip or fall hazard. Do not touch or walk through spilled material.	
Environmental Precautions:	Keep any dust generated out of drains, sewers, ditches, and waterways.	
Methods for Containment:	Do not flush any dust generated to sewer or allow to enter waterways.	
Methods for Clean-Up:	If sufficient dust is generated: Sweep up and shovel into suitable containers for disposal.	
Other Information:	See Section 13 for disposal considerations.	
	Section 7: HANDLING AND STORAGE	

Handling:

Do not breathe dust or fumes. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Work clothing contaminated with dust resulting from the grinding process should not be allowed out of the workplace. See Section 8 for information on Personal Protective Equipment.

Storage:

Store away from incompatible materials. See Section 10 for information on Incompatible Materials.



Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines Component Iron [CAS No. 7439-89-6] ACGIH: 10 mg/m³ (TWA) (Inhalable.); 3 mg/m³ (TWA) (Respirable.); For Particles (Insoluble or Poorly Soluble) Not Otherwise Specified **OSHA:** 15 mg/m³ (Total dust) (TWA), 5 mg/m³ (Respirable fraction) (TWA); For Particulates Not Otherwise Regulated (PNOR). Chromium [CAS No. 7440-47-3] ACGIH: 0.5 mg/m³ (TWA); A4 (1991); For Chromium and inorganic compounds, as Cr: Metal and Cr III compounds **OSHA:** No PEL established. Carbon [CAS No. 1333-86-4] ACGIH: 3 mg/m³ (TWA); A3; Inhalable fraction (2010) **OSHA:** 3.5 mg/m³ (TWA); Manganese [CAS No. 7439-96-5] ACGIH: 0.02 mg/m³ (TWA) (Respirable fraction); 0.1 mg/m³ (TWA) (Inhalable fraction); A4 (2012)**OSHA:** 5 mg/m³ (as Mn) (C); 1 mg/m³ (TWA); 3 mg/m³ (STEL) [Vacated]; Nickel [CAS No. 7440-02-0] ACGIH: 1.5 mg/m³ (TWA); A5; Inhalable fraction (1996); For Nickel, as Ni, Elemental OSHA: 1 mg/m³ (as Ni) (TWA); 0.1 mg/m³ (TWA) [Vacated]; Silicon [CAS No. 7440-21-3] ACGIH: 10 mg/m³ (TWA) (Inhalable.); 3 mg/m³ (TWA) (Respirable.); For Particles (Insoluble or Poorly Soluble) Not Otherwise Specified **OSHA:** 15 mg/m³ (Total dust) (TWA), 5 mg/m³ (Respirable fraction) (TWA); 10 mg/m³ (Total dust) (TWA) [Vacated]; Copper [CAS No. 7440-50-8] ACGIH: 0.2 mg/m³ (TWA); (1990); For Fume, as Cu **OSHA:** 0.1 mg/m³ (TWA) (Fume (as Cu)); 1 mg/m³ (TWA) (Dusts and mists (as Cu)) Antimony [CAS No. 7440-36-0] ACGIH: 0.5 mg/m³ (TWA); (1979) **OSHA:** 0.5 mg/m³ (as Sb) (TWA); Arsenic [CAS No. 7440-38-2] ACGIH: 0.01 mg/m³ (TWA); A1; BEI (1990); For Arsenic and inorganic compounds, as As **OSHA:** No PEL established. Cobalt [CAS No. 7440-48-4] ACGIH: 0.02 mg/m³ (TWA); A3; BEI (1993); For Cobalt and inorganic compounds, as Co **OSHA:** 0.1 mg/m³ (as Co) (TWA); For Cobalt metal, dust, and fume (as Co).

0.05 mg/m³ (TWA) [Vacated]; For Cobalt metal, dust, and fume (as Co).



Lead [CAS No. 7439-92-1]

ACGIH: 0.05 mg/m³ (TWA); A3; BEI (1991); For Lead and inorganic compounds, as Pb **OSHA:** No PEL established.

PEL: Permissible Exposure Limit TWA: Time-Weighted Average STEL: Short-Term Exposure Limit C: Ceiling

Engineering Controls:

Not normally required. If there is the possibility of the dust resulting from the grinding process to accumulate and dry out, use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, gas, etc.) below recommended exposure limits.

PERSONAL PROTECTIVE EQUIPMENT (PPE)



Eye/Face Protection:	Wear safety glasses. Wear a face shield or goggles when handling ball scats. Use equipment for eye protection that meets the standards referenced by CSA Standard CAN/CSA-Z94.3-92 and OSHA regulations in 29 CFR 1910.133 for Personal Protective Equipment.		
Hand Protection:	Wear protective gloves when handling ball scats. Consult manufacturer specifications for further information.		
Skin and Body Protection:	Wear protective clothing.		
Respiratory Protection:	Respiratory protection is not normally required. The product is used in wet environments; inhalation of the dust resulting from the grinding process is unlikely.		
General Hygiene Considerations:	Handle according to established industrial hygiene and safety practices. Consult a competent industrial hygienist to determine hazard potential and/or the PPE manufacturers to ensure adequate protection.		
Section 9: PHYSICAL AND CHEMICAL PROPERTIES			

Je	cion 3. I In SIGAE AND CHEMICAE I NOI ENTIES
Appearance:	1.0" to 6.5" in diameter metal balls.
Color:	Silver / Metallic grey.
Odor:	Odorless.
Odor Threshold:	Not available.
Physical State:	Solid.
pH:	Not applicable.
Melting Point / Freezing Point:	1510 to 1530 °C (2750 to 2786 °F)



GRINDING BALLS/RODS Date of Preparation: June 6, 2019

Initial Boiling Point:	Not available.
Boiling Range:	Not available.
Flash Point:	Not available.
Evaporation Rate:	Not available.
Flammability (solid, gas):	See Section 5.
Lower Flammability Limit:	Not available.
Upper Flammability Limit:	Not available.
Vapor Pressure:	Not available.
Vapor Density:	Not available.
Relative Density:	Not available.
Solubilities:	Insoluble in water.
Partition Coefficient: n- Octanol/Water:	Not available.
Auto-ignition Temperature:	Not available.
Decomposition Temperature:	Not available.
Viscosity:	Not applicable.
Percent Volatile, wt. %:	Not available.
VOC content, wt. %:	Not available.
Density:	Not available.
Coefficient of Water/Oil Distribution:	Not available.

Section 10: STABILITY AND REACTIVITY

Reactivity:	Contact with incompatible materials.
Chemical Stability:	Stable under normal storage conditions.
Possibility of Hazardous Reactions:	Not available.
Conditions to Avoid:	Contact with incompatible materials.
Incompatible Materials:	Acids. Oxidizers. Strong reducers. Reducers. Water. Oxides of nitrogen. Halogens. Acetaldehyde. Metal carbonates. Metal acetylides. Metal hexafluorides.

Hazardous Decomposition Products: Not available.



Section 11: TOXICOLOGICAL INFORMATION

EFFECTS OF ACUTE EXPOSURE

Product Toxicity

Dermal: Not available.

Inhalation: Not available.

Component Toxicity

Component	CAS No.	LD ₅₀ oral	LD50 dermal	LC ₅₀
Iron	7439-89-6	30000 mg/kg (rat)	Not available.	Not available.
Chromium	7440-47-3	Not available.	Not available.	Not available.
Carbon	1333-86-4	> 15400 mg/kg (rat)	3000 mg/kg (rabbit)	Not available.
Manganese	7439-96-5	9000 mg/kg (rat)	Not available.	Not available.
Nickel	7440-02-0	5000 mg/kg (rat)	Not available.	Not available.
Silicon	7440-21-3	3160 mg/kg (rat)	Not available.	Not available.
Copper	7440-50-8	Not available.	Not available.	Not available.
Antimony	7440-36-0	7000 mg/kg (rat)	Not available.	Not available.
Arsenic	7440-38-2	145 mg/kg (mouse)	Not available.	Not available.
Cobalt	7440-48-4	6171 mg/kg (rat)	Not available.	Not available.
Lead	7439-92-1	Not available.	Not available.	Not available.

Likely Routes of Exposure: Eye contact. Skin contact. Inhalation. Ingestion. Skin absorption.

Target Organs: Skin. Eyes. Gastrointestinal tract.

Symptoms (including delayed and immediate effects)

- Inhalation: As supplied, the product does not pose an inhalation hazard. The product is used in wet environments; inhalation of the dust resulting from the grinding process is unlikely.
- **Eye:** As supplied, the product is unlikely to pose a hazard in case of contact. At the end of their normal life cycle, worn ball scats may be in a state of high residual stress from repeated impacts. Ball scats may spall or fragment without warning; contact with such fragments may seriously injure the eyes.
- **Skin:** As supplied, the product is unlikely to pose a hazard in case of contact. At the end of their normal life cycle, worn ball scats may be in a state of high residual stress from repeated impacts. Ball scats may spall or fragment without warning; contact with such fragments may injure the skin.

Ingestion: Not a normal route of exposure.

Skin Sensitization: Not available.

- **Respiratory Sensitization:** Not available.
- Medical Conditions Not available.

Aggravated by Exposure:



EFFECTS OF CHRONIC EXPOSURE (from short and long-term exposure)

Target Organs:	Skin. Eyes. Gastrointestinal tract.

Chronic Effects: As supplied, the product is unlikely to pose a chronic health hazard. The product is used in wet environments; inhalation of the dust resulting from the grinding process is unlikely.

Carcinogenicity: As supplied, the product is unlikely to pose a chronic health hazard.

Component Car	cinogenicity				
Component	ACGIH	IARC	NTP	OSHA	Prop 65
Chromium	A4	Group 3	Not listed.	Not listed.	Not listed.
Manganese	A4	Not listed.	Not listed.	Not listed.	Not listed.
Carbon	A3	Group 2B	Not listed.	OSHA Carcinogen.	Listed.
Nickel	A5	Group 2B	List 2	OSHA Carcinogen.	Listed.
Arsenic	A1	Group 1	List 1	OSHA Carcinogen.	Listed.
Cobalt	A3	Group 2B	Not listed.	OSHA Carcinogen.	Listed.
Lead	A3	Group 2B	List 2	OSHA Carcinogen.	Listed.
				-	

Mutagenicity:	May cause heritab	le genetic damage.
---------------	-------------------	--------------------

Reproductive Effects: The product is unlikely to pose a reproductive hazard.

Developmental Effects

Teratogenicity: The product is unlikely to harm the unborn child.

Embryotoxicity: The product is unlikely to harm the unborn child.

Toxicologically Synergistic Materials: Not available.

Section 12: ECOLOGICAL INFORMATION		
Ecotoxicity:	Not available.	
Persistence / Degradability: Not available.		
Bioaccumulation / Accumulation: Not available.		
Mobility in Environment:	Not available.	
Other Adverse Effects:	Not available.	
Section 13: DISPOSAL CONSIDERATIONS		
Disposal Instructions: Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.		

Section 14: TRANSPORT INFORMATION

U.S. De	epartr	nent	of	Transportation (DOT)	
_	•••			••••	

Proper Shipping Name:	Not regulated.
Class:	Not applicable.
UN Number:	Not applicable.
Packing Group:	Not applicable.
Label Code:	Not applicable.



Canada Transportation of Dangerous Goods (TDG) Proper Shipping Name: Not regulated.		
Class:	Not applicable.	
UN Number:	Not applicable.	
Packing Group:	Not applicable.	
Label Code:	Not applicable.	

Section 15: REGULATORY INFORMATION

Chemical Inventories

US (TSCA)

The components of this product are in compliance with the chemical notification requirements of TSCA.

Canada (DSL)

The components of this product are in compliance with the chemical notification requirements of the NSN Regulations under CEPA, 1999.

Federal Regulations

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS Classification: Not a controlled product.

Hazard Symbols: None.

United States

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SARA Title III Component	Section 302 (EHS) TPQ (Ibs.)	Section 304 EHS RQ (Ibs.)	CERCLA RQ (lbs.)	Section 313	RCRA CODE	CAA 112(r) TQ (lbs.)
Chromium	Not listed.	Not listed.	5000	313	Not listed.	Not listed.
Manganese	Not listed.	Not listed.	Not listed.	313	Not listed.	Not listed.
Nickel	Not listed.	Not listed.	100	313	Not listed.	Not listed.
Copper	Not listed.	Not listed.	5000	313	Not listed.	Not listed.
Antimony	Not listed.	Not listed.	5000	313	Not listed.	Not listed.
Arsenic	Not listed.	Not listed.	1	313	Not listed.	Not listed.
Cobalt	Not listed.	Not listed.	Not listed.	313	Not listed.	Not listed.
Lead	Not listed.	Not listed.	10	313	Not listed.	Not listed.



State Regulations Massachusetts

US Massachusetts Commonwealth's Right-to-Know Law (Appendix A to 105 Code of Massachusetts Regulations Section 670.000)

Component	CAS No.	RTK List
Chromium	7440-47-3	E
Carbon	1333-86-4	Listed.
Manganese	7439-96-5	Listed.
Nickel	7440-02-0	E
Silicon	7440-21-3	Listed.
Copper	7440-50-8	Listed.
Antimony	7440-36-0	Listed.
Arsenic	7440-38-2	E
Cobalt	7440-48-4	Listed.
Lead	7439-92-1	Listed.

Note: E = Extraordinarily Hazardous Substance

New Jersey

US New Jersey Worker and Community Right-to-Know Act (New Jersey Statute Annotated Section 34:5A-5)

OCCION 57.57		
Component	CAS No.	RTK List
Chromium	7440-47-3	SHHS
Carbon	1333-86-4	SHHS
Manganese	7439-96-5	SHHS
Nickel	7440-02-0	SHHS
Silicon	7440-21-3	SHHS
Copper	7440-50-8	Listed.
Antimony	7440-36-0	Listed.
Arsenic	7440-38-2	SHHS
Cobalt	7440-48-4	SHHS
Lead	7439-92-1	SHHS

Note: SHHS = Special Health Hazard Substance

Pennsylvania

r ennsylvania				
US Pennsylvania Worker and Community Right-to-Know Law (34 Pa. Code Chap. 301-323)				
Component	CAS No.	RTK List		
Chromium	7440-47-3	Listed.		
Carbon	1333-86-4	Listed.		
Manganese	7439-96-5	Listed.		
Nickel	7440-02-0	Listed.		
Silicon	7440-21-3	Listed.		
Copper	7440-50-8	Listed.		
Antimony	7440-36-0	Listed.		
Arsenic	7440-38-2	Listed.		
Cobalt	7440-48-4	Listed.		
Lead	7439-92-1	Listed.		



California Prop 65: WARNING: This product contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

Component	Type of Toxicity
Nickel	cancer
Carbon	cancer
Arsenic	cancer
Cobalt	cancer
Lead	cancer; developmental, female, male

Section 16: OTHER INFORMATION

Disclaimer:

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for his own particular use.

	www.Molycop.com
GHS SDS Prepared by:	Moly-Cop USA
Version:	1.0
Date of Preparation of SDS:	June 6 th , 2019